

UPS BATTERY

HIGH TECH AND PERFORMANCE PRODUCT CATALOGUE



VERTICAL ELECTRONIC
SCALE BATTERY



OUTDOOR ELECTRONIC
SCALE BATTERY



TABLE SCALE BATTERY




XIN TANG SHALLOW

Guangzhou Xin Tang Shallow Power Supply Co.,LTD

ADD: No.76 Zengcha Road,Baiyun District, Guangzhou City, Guangdong Province

Website: <https://www.gs-batteries.com>

Email: gs@gs-batteries.com




alibaba.com

Scanning code

Excellent business

Superior products

Excellent service



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP4-4.0**

Details:

- ▶ Voltage: 4 Volt
- ▶ Capacity: 4 Ah
- ▶ Dimensions: 47X47X100 ±1mm
- ▶ total height (with terminals): 105 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP4-4.5**

Details:

- ▶ Voltage: 4 Volt
- ▶ Capacity: 4.5 Ah
- ▶ Dimensions: 47X47X100 ±1mm
- ▶ total height (with terminals): 105 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP4-5.0**

Details:

- ▶ Voltage: 4 Volt
- ▶ Capacity: 5 Ah
- ▶ Dimensions: 47X47X100 ±1mm
- ▶ total height (with terminals): 105 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP6-1.2**

Details:

- ▶ Voltage: 6 Volt
- ▶ Capacity: 1.2 Ah
- ▶ Dimensions: 97X24X52 ±1mm
- ▶ total height (with terminals): 57 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP6-1.5**

Details:

- ▶ Voltage: 6 Volt
- ▶ Capacity: 1.5 Ah
- ▶ Dimensions: 97X24X52 ±1mm
- ▶ total height (with terminals): 57 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP6-2.8**

Details:

- ▶ Voltage: 6 Volt
- ▶ Capacity: 2.8 Ah
- ▶ Dimensions: 66X33X98 ±1mm
- ▶ total height (with terminals): 103 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP6-3.2**

Details:

- ▶ Voltage: 6 Volt
- ▶ Capacity: 3.2 Ah
- ▶ Dimensions: 123X33X60 ±1mm
- ▶ total height (with terminals): 65 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP6-4.0**

Details:

- ▶ Voltage: 6 Volt
- ▶ Capacity: 4 Ah
- ▶ Dimensions: 70X47X100 ±1mm
- ▶ total height (with terminals): 105 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries


Maintenance-free lead-acid batteries

MODEL: **HP6-4.5**

Details:

- ▶ Voltage: 6 Volt
- ▶ Capacity: 4.5 Ah
- ▶ Dimensions: 70X47X100 ±1mm
- ▶ total height (with terminals): 105 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP6-5.0**

Details:

- ▶ Voltage: 6 Volt
- ▶ Capacity: 5 Ah
- ▶ Dimensions: 70X47X100 ±1mm
- ▶ total height (with terminals): 105 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries


Maintenance-free lead-acid batteries

MODEL: **HP6-7.0**

Details:

- ▶ Voltage: 6 Volt
- ▶ Capacity: 7 Ah
- ▶ Dimensions: 151X35X95 ±1mm
- ▶ total height (with terminals): 100 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP6-7.5**

Details:

- ▶ Voltage: 6 Volt
- ▶ Capacity: 7.5 Ah
- ▶ Dimensions: 151X35X95 ±1mm
- ▶ total height (with terminals): 100 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP6-8.0**

Details:

- ▶ Voltage: 6 Volt
- ▶ Capacity: 8 Ah
- ▶ Dimensions: 151X35X95 ±1mm
- ▶ total height (with terminals): 100 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP6-9.0**

Details:

- ▶ Voltage: 6 Volt
- ▶ Capacity: 9 Ah
- ▶ Dimensions: 151X35X95 ±1mm
- ▶ total height (with terminals): 100 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries


Maintenance-free lead-acid batteries

MODEL: **HP6-10**

Details:

- ▶ Voltage: 6 Volt
- ▶ Capacity: 10 Ah
- ▶ Dimensions: 151X50X95 ±1mm
- ▶ total height (with terminals): 100 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP6-12**

Details:

- ▶ Voltage: 6 Volt
- ▶ Capacity: 12 Ah
- ▶ Dimensions: 151X50X95 ±1mm
- ▶ total height (with terminals): 100 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP6-14**

Details:

- ▶ Voltage: 6 Volt
- ▶ Capacity: 14 Ah
- ▶ Dimensions: 151X50X95 ±1mm
- ▶ total height (with terminals): 100 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP12-1.2**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 1.2 Ah
- ▶ Dimensions: 97X43X52 ±1mm
- ▶ total height (with terminals): 57 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP12-1.5**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 1.5 Ah
- ▶ Dimensions: 97X43X52 ±1mm
- ▶ total height (with terminals): 57 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP12-2.3**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 2.3 Ah
- ▶ Dimensions: 178X35X61 ±1mm
- ▶ total height (with terminals): 66 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP12-2.6**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 2.6Ah
- ▶ Dimensions: 70X47X99 ±1mm
- ▶ total height (with terminals): 104 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP12-3.2**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 3.2Ah
- ▶ Dimensions: 134X66X61 ±1mm
- ▶ total height (with terminals): 66 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries


Maintenance-free lead-acid batteries

MODEL: **HP12-4.0**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 4 Ah
- ▶ Dimensions: 90X70X101 ±1mm
- ▶ total height (with terminals): 106 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries


Maintenance-free lead-acid batteries

MODEL: **HP12-4.5**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 4.5 Ah
- ▶ Dimensions: 90X70X101 ±1mm
- ▶ total height (with terminals): 106 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP12-5.0**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 5 Ah
- ▶ Dimensions: 151X51X97 ±1mm
- ▶ total height (with terminals): 102 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP12-6.5**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 6.5 Ah
- ▶ Dimensions: 151X65X95 ±1mm
- ▶ total height (with terminals): 100 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP12-7.0**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 7 Ah
- ▶ Dimensions: 151X65X95 ±1mm
- ▶ total height (with terminals): 100 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP12-8.0**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 8 Ah
- ▶ Dimensions: 151X65X95 ±1mm
- ▶ total height (with terminals): 100 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP12-9.0**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 9 Ah
- ▶ Dimensions: 151X65X95 ±1mm
- ▶ total height (with terminals): 100 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP12-10**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 10 Ah
- ▶ Dimensions: 151X65X95 ±1mm
- ▶ total height (with terminals): 100 ±1mm
- ▶ Rated Capacity (20 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP12-50**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 50 Ah
- ▶ Dimensions: 229X138X208 ±2mm
- ▶ total height (with terminals): 211 ±2mm
- ▶ Rated Capacity (10 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP12-65**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 65 Ah
- ▶ Dimensions: 350X169X179 ±2mm
- ▶ total height (with terminals): 179 ±2mm
- ▶ Rated Capacity (10 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP12-70**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 70 Ah
- ▶ Dimensions: 260X168X211 ±2mm
- ▶ total height (with terminals): 214 ±2mm
- ▶ Rated Capacity (10 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP12-90**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 90 Ah
- ▶ Dimensions: 307X168X211 ±2mm
- ▶ total height (with terminals): 214 ±2mm
- ▶ Rated Capacity (10 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **6-GFM-100**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 100 Ah
- ▶ Dimensions: 330X172X217 ±2mm
- ▶ total height (with terminals): 220 ±2mm
- ▶ Rated Capacity (10 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **6-GFM-120**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 120 Ah
- ▶ Dimensions: 406X173X208 ±2mm
- ▶ total height (with terminals): 238 ±2mm
- ▶ Rated Capacity (10 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **6-GFM-150**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 150 Ah
- ▶ Dimensions: 484X170X240 ±2mm
- ▶ total height (with terminals): 240 ±2mm
- ▶ Rated Capacity (10 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **6-GFM-200**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 200Ah
- ▶ Dimensions: 522X238X218 ±2mm
- ▶ total height (with terminals): 221 ±2mm
- ▶ Rated Capacity (10 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **6-GFM-220**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 220 Ah
- ▶ Dimensions: 522X238X218 ±2mm
- ▶ total height (with terminals): 221 ±2mm
- ▶ Rated Capacity (10 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **6-GFM-250**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 250 Ah
- ▶ Dimensions: 520X267X220 ±2mm
- ▶ total height (with terminals): 223 ±2mm
- ▶ Rated Capacity (10 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP12-55**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 55 Ah
- ▶ Dimensions: 277X106X223 ±2mm
- ▶ total height (with terminals): 223 ±2mm
- ▶ Rated Capacity (10 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries


Maintenance-free lead-acid batteries

MODEL: **HP12-80**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 80 Ah
- ▶ Dimensions: 561X115X187 ±2mm
- ▶ total height (with terminals): 195 ±2mm
- ▶ Rated Capacity (10 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP12-100**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 100 Ah
- ▶ Dimensions: 395X110X286 ±2mm
- ▶ total height (with terminals): 286 ±2mm
- ▶ Rated Capacity (10 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP12-100L**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 100 Ah
- ▶ Dimensions: 507X110X224 ±2mm
- ▶ total height (with terminals): 231 ±2mm
- ▶ Rated Capacity (10 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP12-150**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 150 Ah
- ▶ Dimensions: 551X110X287 ±2mm
- ▶ total height (with terminals): 287 ±2mm
- ▶ Rated Capacity (10 hour rate)

Assembly Figure:



KAZUKI Batteries

UPS Batteries

Maintenance-free lead-acid batteries

MODEL: **HP12-180**

Details:

- ▶ Voltage: 12 Volt
- ▶ Capacity: 180Ah
- ▶ Dimensions: 560X125X316 ±2mm
- ▶ total height (with terminals): 316 ±2mm
- ▶ Rated Capacity (10 hour rate)

Assembly Figure:



MACHINE ROOM BACKUP BATTERY PACK

